



功原益企業有限公司

Gong Yuan Yi since. 1989

接線盒2024

單連接線盒

鍍
鋅
鋅
板
·
烤
漆
·
熱
浸
鍍
鋅

品名	厚度(mm)	孔徑	規格(mm)
單聯 4cm 內耳 單聯 4cm 內外耳	1.2 mm 1.6 mm 2.0 mm	4分孔 1/2" 6分孔 3/4"	56x95x40 mm
單聯加深5cm 內耳 單聯加深5cm 內外耳	1.6 mm 2.0 mm	4分孔 1/2" 6分孔 3/4" 1吋孔 1"	60x99x50 mm
單聯加深6.5cm 內外耳	2.0 mm	4分孔 1/2"	60x99x65 mm
單聯無底型 訂製尺寸	1.6 mm 2.0 mm	6分孔 3/4" 1吋孔 1"	56x95x訂製規格

烤漆顏色：● 紅 ● 黃 ● 藍 ● 綠 ● 黑 ○ 白
● 粉 ● 紫 ● 灰 ● 咖 ● 紅丹



▲ 內耳型



▲ 內外耳型



▲ 加深內耳型



▲ 加深6.5CM內外耳



▲ 不鏽鋼內耳型



▲ 不鏽鋼內外耳型



▲ 不鏽鋼加深型



▲ 訂製無底附蓋型

S
U
S
3
0
4
不
鏽
鋼

品名	厚度(mm)	孔徑	規格(mm)
單聯 4cm 內耳(ST)	0.8 mm 1.0 mm 1.2 mm	4分孔 1/2" 6分孔 3/4"	56x95x40 mm
單聯 4cm 內外耳(ST)	0.8 mm 1.0 mm 1.2 mm	4分孔 1/2" 6分孔 3/4"	56x95x40 mm
單聯加深5cm 內耳(ST) 單聯加深5cm 內外耳(ST)	0.8 mm 1.0 mm 1.2 mm 1.5 mm 2.0 mm	4分孔 1/2" 6分孔 3/4" 1吋孔 1"	60x99x50 mm
單聯加深 內外耳 訂製尺寸(ST)	2.0 mm	4分孔 1/2" 6分孔 3/4" 1吋孔 1"	60x99x訂製規格
單聯無底型 (ST)	2.0 mm		56x95x訂製規格

雙聯接線盒

鍍鋅鋁板·烤漆·熱浸鍍鋅	品名	厚度(mm)	孔徑	規格(mm)
	雙聯 4cm 內耳	1.2 mm 1.6 mm 2.0 mm	1/2"x3/4"x1/2"	100x100x40 mm
	雙聯加深5cm 內耳	1.6 mm 2.0 mm	4分孔 1/2" 6分孔 3/4" 1吋孔 1" 1/2"x3/4"x1/2"	100x100x50 mm
	雙聯加深 訂製尺寸	2.0 mm	訂製規格	100x100x訂製規格

烤漆顏色：● 紅 ● 黃 ● 藍 ● 綠 ● 黑 ○ 白

● 粉 ● 紫 ● 灰 ● 咖 ● 紅丹



▲ 雙聯盒



▲ 加深雙聯盒



▲ 不鏽鋼雙聯盒



▲ 不鏽鋼加深雙聯盒



▲ 不鏽鋼加深雙聯盒

SUS304 不鏽鋼	品名	厚度(mm)	孔徑	規格(mm)
	雙聯 4cm 內耳	0.8 mm 1.2 mm	1/2" x 3/4"	96x100x40 mm
	雙聯加深5cm 內耳	1.2 mm 1.5 mm 2.0 mm	4分孔 1/2" 6分孔 3/4" 1吋孔 1"	100x100x50 mm
	雙聯加深 訂製尺寸	2.0 mm	訂製規格	100x100x訂製規格



▼ 外線盒

品名	孔徑	規格(mm)	材質
外線盒 5" x 5"	有孔 / 無孔	120x120x60 mm	鍍鋅鋁板 不鏽鋼SUS
外線盒 5" x 8"	有孔 / 無孔	120x200x60 mm	
外線盒訂製規格	有孔 / 無孔	訂製規格	

▼ 歐規



品名	孔徑	規格(mm)	材質
歐規 4cm	1/2" x 3/4"	72x72x40	鍍鋅鋁板 不鏽鋼SUS
歐規加深 5cm	1/2" x 3/4"	75x75x50	

八角接線盒

鍍 鋅 鋁 板 · 烤 漆 · 熱 浸 鍍 鋅	品名	厚度(mm)	孔徑	規格(mm)
	八角淺 4.0cm	1.2 / 1.6 / 2.0	1/2" · 3/4"	88x88x40 mm
	八角深 5.0cm	1.6 / 2.0	4分孔 1/2" 6分孔 3/4" 4分孔x6分孔 6分孔x1吋孔	95x95x50 mm
	八角深 6.5cm	1.2 / 1.6 / 2.0		95x95x65 mm
	八角深 7.5cm	1.6 mm 2.0 mm		100x100x75 mm
	八角深 8.5cm			100x100x85 mm
	八角深 10cm			100x100x100 mm
	八角深 12cm			100x100x120 mm



▲八角淺接線盒



▲熱浸八角接線盒

烤漆顏色：●紅 ●黃 ●藍 ●綠 ●黑 ○白

●粉 ●紫 ●灰 ●咖 ●紅丹



▲不鏽鋼八角加深盒

S U S 3 0 4 不 鏽 鋼	品名	厚度(mm)	孔徑	規格(mm)
	八角淺 4.0cm	0.8 / 1.2	1/2" · 3/4" · 1/2"x3/4"	88x88x40 mm
	八角深 5.0cm	1.2 mm	4分孔 1/2" 6分孔 3/4" 4分孔x6分孔 6分孔x1吋孔	95x95x50 mm
	八角深 6.5cm	0.8 / 1.2		95x95x65 mm
	八角深 7.5cm	1.2 mm 1.5 mm 2.0 mm		100x100x75 mm
	八角深 8.5cm			100x100x85 mm
	八角深 10cm			100x100x100 mm
	八角深 12cm			100x100x120 mm



▲鍍鋅鋁板八角加深盒

▼各規格八角盒



無底接線盒

鍍鋅鋁板·烤漆·熱浸鍍鋅	品名	厚度(mm)	孔徑	規格(mm)
	八角深 5.0cm (中空無底)	1.6 / 2.0	4分孔 1/2" 6分孔 3/4" 4分孔x6分孔 6分孔x1吋孔	95x95x50 mm
	八角深 6.5cm (中空無底)	1.2 / 1.6 / 2.0		95x95x65 mm
	八角深 7.5cm (中空無底)	1.6 mm 2.0 mm		100x100x75 mm
	八角深 8.5cm (中空無底)			100x100x85 mm
	八角深 10cm (中空無底)			100x100x100 mm
	單聯無底型 訂製尺寸	1.6 mm 2.0 mm	4分孔 1/2" 6分孔 3/4" 1吋孔 1"	56x95x訂製規格

烤漆顏色：● 紅 ● 黃 ● 藍 ● 綠 ● 黑 ○ 白
● 粉 ● 紫 ● 灰 ● 咖 ● 紅丹



◀ 中空無底形單聯盒

中空無底型八角盒 ▶



S U S 3 0 4 不 鏽 鋼	品名	厚度(mm)	孔徑	規格(mm)
	八角深 5.0cm (中空無底)	1.2 mm	4分孔 1/2" 6分孔 3/4" 4分孔x6分孔 6分孔x1吋孔	95x95x50 mm
	八角深 6.5cm (中空無底)	0.8 / 1.2		95x95x65 mm
	八角深 7.5cm (中空無底)	1.2 mm 1.5 mm 2.0 mm		100x100x75 mm
	八角深 8.5cm (中空無底)			100x100x85 mm
	八角深 10cm (中空無底)			100x100x100 mm
	八角深 12cm (中空無底)			100x100x120 mm
	單聯無底型 訂製尺寸(ST)	2.0 mm	4分孔 1/2" 6分孔 3/4" 1吋孔 1"	56x95x訂製規格

腳架規格





總高 (盒高+腳長)	
4.0 cm	5.0 cm
6.5 cm	12.0 cm
7.5 cm	15.0 cm
8.0 cm	18.0 cm
9.0 cm	20.0 cm
10.0 cm	訂製尺寸


品名	規格
雙併(平面)	附腳總高
雙併(附腳)	
參併(平面)	
參併(附腳)	
肆併(平面)	中心距離
肆併(附腳)	
伍併(平面)	皆可訂製
伍併(附腳)	

<以上距離尺寸皆可訂做>

品名	孔徑	規格(mm)	材質
單聯蓋片	無孔 1/2" x 3/4" 可訂製	57x101	鍍鋅鋁板
圓形蓋片(小) Ø 95		95x95	
圓形蓋片(大) Ø 107		107x107	
雙聯蓋片		100x100	不鏽鋼SUS
鋁製用單聯蓋片	無孔 2分半孔 5/16" 4分孔 1/2" 6分孔 3/4"	70x120	不鏽鋼SUS



雙連蓋片



圓形蓋片

鋁製用
單聯蓋片





鍍 鋅 鋁 板 · 烤 漆 · 鎂 鋁 鋅	品名	厚度(mm)	孔徑	規格(mm)
	高腳C型鋼 W41xH41	1.6 / 2.0 / 2.5 mm	有孔 / 無孔 皆可訂做	長度尺寸 皆可訂做
	低腳C型鋼 W41xH25	1.2 / 1.6 / 2.0 mm		
	雙併高腳C型鋼 W41xH82	1.6 / 2.0 / 2.5 mm		
	雙併低腳C型鋼 W41xH50	1.2 / 1.6 / 2.0 mm		
	高架地板型鋼 W41xH25	1.2 mm	沖8孔 尺寸可訂製	700 L
		1.5 mm		720 L
		2.0 mm		1320 L
				1920 L

S U S 3 0 4 不 鏽 鋼	品名	厚度(mm)	孔徑	規格(mm)
	高腳C型鋼 W41xH41	1.5 / 2.0 / 2.5 mm	有孔 / 無孔 皆可訂做	長度尺寸 皆可訂做
	低腳C型鋼 W41xH25	1.2 / 1.5 / 2.0 mm		
	雙併高腳C型鋼 W41xH82	1.5 / 2.0 / 2.5 mm		
	雙併低腳C型鋼 W41xH50	1.2 / 1.5 / 2.0 mm		
	高架地板型鋼 W41xH25	1.2 mm	沖8孔 尺寸可訂製	700 L
		1.5 mm		720 L
				1320 L
				1920 L

聯絡資訊

電話 (06)233-1105 (06)232-0109

傳真 (06)2313-308

郵箱 gue.g68151@msa.hinet.net

地址 台南市永康區永科南路106號

統編 84364692

LINE 0966543325



功原益企業有限公司

GUE SINCE.1989

功原益企業有限公司 | 台南市永康區永科南路106號 | TEL : (06)2331105 | FAX : (06)2313308



◎專營◎

接線盒BOX・特殊尺寸訂製 | 五金零件加工訂製生產
各種材質規格 C型鋼及配件 | 太陽能支架扣件
材質：熱浸鍍鋅、粉體塗裝、不鏽鋼、電鍍、鋁鋅

